
Schriftenverzeichnis Michael Zech, September 2017

Accepted or in press

Lerch, M., Bliedtner, M., Roettig, C.-B., Schmidt, J.-U., Szidat, S., Zech, R., Glaser, B., Kleber, A. and Zech, M., accepted. Lipid biomarkers in aeolian sediments under desert pavements – potentials and first results from the Black Rock Desert, Utah, USA and Fuerteventura, Canary Islands, Spain. Quaternary Science Journal – Eiszeitalter & Gegenwart, accepted.

2017

Hepp, J., Zech, R., Rozanski, K., Tuthorn, M., Glaser, B., Greule, M., Keppler, F., Huang, Y., Zech, W. and Zech, M., 2017. Late Quaternary relative humidity changes from Mt. Kilimanjaro, based on a coupled ^2H - ^{18}O biomarker paleohygrometer approach. Quaternary International 438, Part B, 116-130.

Zech, M., Kreutzer, S., Zech, R., Goslar, T., Meszner, S., McIntyre, C., Häggi, C., Eglinton, T., Faust D. and Fuchs, M., 2017. Comparative ^{14}C and OSL dating of loess-paleosol sequences to evaluate post-depositional contamination of *n*-alkane biomarkers. Quaternary Research 87, 180-189.

2016

Hepp, J., Rabus, M., Anhäuser, T., Bromm, T., Laforsch, C., Sirocko, F., Glaser, B. and Zech, M., 2016. A sugar biomarker proxy for assessing terrestrial versus aquatic sedimentary input. Organic Geochemistry 98, 98-104.

Lehmann, M., Fischer, M., Brees, J., Zech, M., Siegwolf, R. and Saurer, M., 2016. A novel methylation derivatization method for $\delta^{18}\text{O}$ analysis of individual carbohydrates by gas chromatography/pyrolysis-isotope ratio mass spectrometry. Rapid Communications in Mass Spectrometry 30, 1-8.

Schäfer, I., Lanny, V., Franke, J., Eglinton, T., Zech, M., Vysloužilová, B., Zech R., 2016. Leaf waxes in litter and topsoils along a European transect. Soil 2, 551-564.

Sirocko, F., Knapp, H., Dreher, F., Förster, M., Albert, J., Brunck, H., Veres, D., Dietrich, S., Zech, M., Hambach, U., Röhner, M., Rudert, S., Schwibus, K., Adams, C. and Sigl, P., 2016. The ELSA-vegetation stack: reconstruction of landscape evolution zones (LEZ) from laminated Eifel maar sediments of the last 60,000 years. Global and Planetary Change 142, 108-135.

2015

Anhäuser, T., Greule, M., Zech, M., Kalbitz, K. and Keppler, F., 2015. Stable hydrogen and carbon isotope ratios of methoxyl groups during plant litter degradation. Isotopes in Environmental and Health Studies 51(1), 143-154.

Buggle, B. and Zech, M., 2015. New frontiers in the molecular based reconstruction of Quaternary paleovegetation from loess and paleosols. Quaternary International 372, 180-187.

- Hepp, J., Tuthorn, M., Zech, R., Mügler, I., Schlütz, F., Zech, W. and Zech, M., 2015. Reconstructing lake evaporation history and the isotopic composition of precipitation by a coupled $\delta^{18}\text{O}$ - $\delta^2\text{H}$ biomarker approach. *Journal of Hydrology* 529(2), 622-631.
- Marković, S.B., Stevens, T., Kukla, G.J., Hambach, U., Fitzsimmons, K.E., Gibbard, P., Buggle, B., Zech, M., Guo, Z., Hao, Q., Wu, H., Dhand, K., Smalley, I.J., Ujvári, G., Sümegi, P., Timar-Gabor, A., Veres, D., Sirocko, F., Vasiljević, D.A., Jary, Z., Svensson, A., Jović, V., Lehmkuhl, F., Kovács, J., Svirčev, Z., 2015. Danube loess stratigraphy – Towards a pan-European loess stratigraphic model. *Earth Science Reviews* 148, 228-258.
- Tuthorn, M., Zech, R., Ruppenthal, M., Oelmann, Y., Kahmen, A., del Valle, H., Eglinton, T., Rozanski, K. and Zech, M., 2015. Coupling $\delta^2\text{H}$ and $\delta^{18}\text{O}$ biomarker results yields information on relative humidity and isotopic composition of precipitation. *Biogeosciences* 12, 3913-3924.
- Újvári, G., Stevens, T., Svensson, A., Klötzli, U., Manning, C., Németh, T., Kovács, J., Sweeney, M., Gocke, M., Wiesenberg, G., Markovic, S. and Zech, M., 2015. Two possible source regions for central Greenland last glacial dust. *Geophysical Research Letters* 42(23), 10399-10408.
- Zech, M., Bösel, S., Tuthorn, M., Benesch, M., Dubbert, M., Cuntz, M. and Glaser, B., 2015. Sauna, Sweat and Science – Quantifying the proportion of condensation water versus sweat using a stable water isotope ($^2\text{H}/^1\text{H}$ and $^{18}\text{O}/^{16}\text{O}$) tracer experiment. *Isotopes in Environmental and Health Studies* 51(3), 439-447.
- Zech, M., Zech, R., Rozanski, K., Gleixner, G. and Zech, W., 2015. Do *n*-alkane biomarkers in soils/sediments reflect the $\delta^2\text{H}$ isotopic composition of precipitation? A case study from Mt. Kilimanjaro and implications for paleoaltimetry and paleoclimate research. *Isotopes in Environmental and Health Studies* 51(4), 508-524.
- 2014
- Häggi, C., Zech, R., McIntyre, C., Zech, M. and Eglinton, T., 2014. On the stratigraphic integrity of leaf-wax biomarkers in loess paleosol. *Biogeosciences* 11, 2455-2463.
- Tuthorn, M., Zech, M., Ruppenthal, M., Oelmann, Y., Kahmen, A., del Valle, H.F., Wilcke, W. and Glaser, B., 2014. Oxygen isotope ratios ($^{18}\text{O}/^{16}\text{O}$) of hemicellulose-derived sugar biomarkers in plants, soils and sediments as paleoclimate proxy II: Insight from a climate transect study. *Geochimica et Cosmochimica Acta* 126, 624-634.
- Zech, M., Tuthorn, M., Zech, R., Schlütz, F., Zech, W. and Glaser, B. 2014. A 16-ka $\delta^{18}\text{O}$ record of lacustrine sugar biomarkers from the High Himalaya reflects Indian Summer Monsoon variability. *Journal of Paleolimnology* 51, 241-251.
- Zech, M., Mayr, C., Tuthorn, M., Leiber-Sauheitl, K. and Glaser, B., 2014. Reply to the comment of Sternberg on "Zech et al. (2014) Oxygen isotope ratios ($^{18}\text{O}/^{16}\text{O}$) of hemicellulose-derived sugar biomarkers in plants, soils and sediments as paleoclimate proxy I: Insight from a climate chamber experiment". *GCA* 126, 614-623. *Geochimica et Cosmochimica Acta* 141, 680-682.
- Zech, M., Mayr, C., Tuthorn, M., Leiber-Sauheitl, K. and Glaser, B., 2014. Oxygen isotope ratios ($^{18}\text{O}/^{16}\text{O}$) of hemicellulose-derived sugar biomarkers in plants, soils and sediments as paleoclimate proxy I: Insight from a climate chamber experiment. *Geochimica et Cosmochimica Acta* 126, 614-623.

Zech, M., Hörold, C., Leiber-Sauheitl, K., Kühnel, A., Hemp, A. and Zech, W., 2014. Buried black soils on the slopes of Mt. Kilimanjaro as a regional carbon storage hotspot. *Catena* 112, 125-130.

2013

Andreeva, D., Zech, M., Glaser, B., Erbajeva, M., Chimitdorgieva, G., Ermakova, O. and Zech, W., 2013. Stable isotope ($\delta^{13}\text{C}$, $\delta^{15}\text{N}$, $\delta^{18}\text{O}$) record of soils in Buryatia, southern Siberia: Implications for biogeochemical and paleoclimatic interpretations. *Quaternary International* 290-291, 82-94.

Tarasov, P., Müller, S., Zech, M., Andreeva, D., Diekmann, B. and Leipe, C., 2013. Last glacial vegetation reconstructions in the extreme-continental eastern Asia: Potentials of pollen and *n*-alkane biomarker analyses. *Quaternary International* 290-291, 253-263.

Zech, M., Krause, T., Meszner, S. and Faust, D., 2013. Incorrect when uncorrected: Reconstructing vegetation history using *n*-alkane biomarkers in loess-paleosol sequences – A case study from the Saxonian loess region, Germany. *Quaternary International* 296, 108-116.

Zech, M., Rass, S., Buggle, B., Löscher, M. and Zöller, L., 2013. Reconstruction of the late Quaternary paleoenvironments of the Nussloch loess paleosol -- Response to the comments by G. Wiesenberg and M. Gocke. *Quaternary Research* 79(2), 306-307.

Zech, M., Saurer, M., Tuthorn, M., Rinne, K., Werner, R.A., Siegwolf, R., Glaser, B. and Juchelka, D., 2013. A novel methodological approach for $\delta^{18}\text{O}$ analysis of sugars using gas chromatography-pyrolysis-isotope ratio mass spectrometry. *Isotopes in Environmental and Health Studies* 49(4), 492-502.

Zech, M., Tuthorn, M., Detsch, F., Rozanski, K., Zech, R., Zöller, L., Zech, W. and Glaser, B., 2013. A 220 ka terrestrial $\delta^{18}\text{O}$ and deuterium excess biomarker record from an eolian permafrost paleosol sequence, NE-Siberia. *Chemical Geology* 360-361, 220-230.

Zech, M., Tuthorn, M., Glaser, B., Amelung, W., Huwe, B., Zech, W., Zöller, L. and Löffler, J., 2013. Natural abundance of ^{18}O in topsoils along a climate transect over the Southern Scandinavian Mountains, Norway. *Journal of Plant Nutrition and Soil Science* 176, 12-15.

Zech, R., Zech, M., Marković, S., Hambach, U. and Huang, Y., 2013. Humid glacials, arid interglacials? Critical thoughts on pedogenesis and paleoclimate based on multi-proxy analyses of the loess-paleosol sequence Crvenka, Northern Serbia. *Palaeogeography, Palaeoclimatology, Palaeoecology* 387, 165-175.

2012

Marković, S., Hambach, U., Stevens, T., Jovanović, M., O'Hara-Dhand, K., Basarin, B., Lu, H., Smalley, I., Buggle, B., Zech, M., Svičev, Z., Sümegi, P., Milojković, N. and Zöller, L., 2012. Loess in the Vojvodina region (Northern Serbia): an essential link between European and Asian Pleistocene environments. *Netherlands Journal of Geosciences – Geologie en Mijnbouw* 91 (1/2), 173-188.

Zech, M., Rass, S., Buggle, B., Löscher, M. and Zöller, L., 2012. Reconstruction of the late Quaternary paleoenvironment of the Nussloch loess paleosol sequence, Germany, using *n*-alkane biomarkers. *Quaternary Research* 78, 326-335.

Zech, M., Werner, R., Juchelka, D., Kalbitz, K., Buggle, B. and Glaser, B., 2012. Absence of oxygen isotope fractionation/exchange of (hemi-) cellulose derived sugars during litter decomposition. *Organic Geochemistry* 42, 1470-1475.

2011

Schatz, A., Zech, M., Buggle, B., Gulyas, S., Hambach, U., Markovic, S., Sümegei, P. and Scholten, T., 2011. The late Quaternary loess record of Tokaj, Hungary: Reconstructing palaeoenvironment, vegetation and climate using stable C and N isotopes and biomarkers. *Quaternary International* 240 (1-2), 52-61.

Stevens, T., Marković, S., Zech, M., Hambach, U. and Sümegei, P., 2011. Dust deposition and climate in the Carpathian Basin over an independently dated last glacial–interglacial cycle. *Quaternary Science Reviews* 30 (5-6), 662-681.

Zech, M., Bimüller, C., Hemp, A., Samimi, C., Broesike, C., Hörold, C. and Zech, W., 2011. Human and climate impact on ¹⁵N natural abundance of plants and soils in high mountain ecosystems – a short review and two examples from the Eastern Pamirs and Mt. Kilimanjaro. *Isotopes in Environmental and Health Studies* 47 (3), 286-296.

Zech, M., Leiber, K., Zech, W., Poetsch, T. and Hemp, A., 2011. Late Quaternary soil genesis and vegetation history on the northern slopes of Mt. Kilimanjaro, East Africa. *Quaternary International* 243 (2), 327-336.

Zech, M., Pedentchouk, N., Buggle, B., Leiber, K., Kalbitz, K., Markovic, S., Glaser, B., 2011. Effect of leaf litter degradation and seasonality on D/H isotope ratios of *n*-alkane biomarkers. *Geochimica et Cosmochimica Acta* 75, 4917-4928.

Zech, M., Zech, R., Buggle, B., and Zöller, L., 2011. Novel methodological approaches in loess research – interrogating biomarkers and compound-specific stable isotopes. *Eiszeitalter & Gegenwart – Quaternary Science Journal* 60 (1), 170-187.

Zech, R., Huang, Y., Zech, M., Tarozo, R. and Zech, W., 2011. High carbon sequestration in Siberian permafrost loess-paleosols during glacials. *Climate of the Past* 7, 501-509.

Zech, W., Zech, R., Zech, M., Leiber, K., Dippold, M., Frechen, M., Bussert, R. and Andreev, A., 2011. Obliquity forcing of Quaternary glaciation and environmental changes in NE Siberia. *Quaternary International* 234 (1-2), 133-145.

2010

Werner, K., Tarasov, E., Andreev, A., Müller, S., Kienast, F., Zech, M., Zech, W. and Diekmann, B., 2010. A 12.5-kyr history of vegetation dynamics and mire development with evidence of Younger Dryas larch presence in the Verkhoyansk Mountains, East Siberia, Russia. *Boreas* 39 (1), 56-68.

Zech, M., Andreev, A., Zech, R., Müller, S., Hambach, U., Frechen, M., and Zech, W., 2010. Quaternary vegetation changes derived from a loess-like permafrost palaeosol sequence in northeast Siberia using alkane biomarker and pollen analyses. *Boreas* 39 (3), 540-550.

2009

- Zech, M. and Glaser, B., 2009. Compound-specific $\delta^{18}\text{O}$ analyses of neutral sugars in soils using GC-Py-IRMS: problems, possible solutions and a first application. *Rapid Communications in Mass Spectrometry* 23, 3522-3532.
- Zech, M., Zech, R., Morrás, H., Moretti, L., Glaser, B. and Zech, W., 2009. Late Quaternary environmental changes in Misiones, subtropical NE Argentina, deduced from multi-proxy geochemical analyses in a palaeosol sediment sequence. *Quaternary International* 196, 121-136.
- Zech, M., Buggle B., Leiber, K., Marković, S., Glaser, B., Hambach, U., Huwe, B., Stevens, T., Sümegi, P., Wiesenberg, G. and Zöller, L., 2009. Reconstructing Quaternary vegetation history in the Carpathian Basin, SE Europe, using n-alkane biomarkers as molecular fossils: problems and possible solutions, potential and limitations. *Eiszeitalter und Gegenwart – Quaternary Science Journal* 58 (2), 148-155.
- Zech, R., Zech, M., Kubik, P., Kharki, K. and Zech, W., 2009. Deglaciation and landscape history around Annapurna, Nepal, based on ^{10}Be surface exposure dating. *Quaternary Science Reviews* 28 (11-12), 1106-1118.
- Zech, W., Zech, M., Zech, R., Peinemann, N., Morrás, H., Moretti, L., Ogle, N., Kalim, R., Fuchs, M., Schad, P., Glaser, B., 2009. Late Quaternary palaeosol records from subtropical (38°S) to tropical (16°S) South America and palaeoclimatic implications. *Quaternary International* 196, 107-120.

2008

- Zech, M. and Glaser, B., 2008. Improved compound-specific $\delta^{13}\text{C}$ analysis of n-alkanes for application in palaeoenvironmental studies. *Rapid Communications in Mass Spectrometry* 22, 135-142.
- Zech, M., Zech, R., Zech, W., Glaser, B., Brodowski, S. and Amelung, W., 2008. Characterisation and palaeoclimate of a loess-like permafrost palaeosol sequence in NE Siberia, *Geoderma* 143, 281-295.

2007

- Zech, M., Zech, R. and Glaser, B., 2007. A 240,000-year stable carbon and nitrogen isotope record from a loess-like palaeosol sequence in the Tumara Valley, Northeast Siberia. *Chemical Geology* 242, 307-318.

2006

- Zech, M., 2006. Evidence for Late Pleistocene climate changes from buried soils on the southern slopes of Mt. Kilimanjaro, Tanzania. *Palaeogeography, Palaeoclimatology, Palaeoecology* 242, 303–312.

Sonstige Publikationen

- Zech, M., Spengler, A., Albrecht, D. und Glaser B., 2015. Es ist nicht alles Schweiß was tropft. Sauna & Bäderpraxis 4/2015, Seite 19-21.
- Zech, M., 2013. Development, validation and application of an ^{18}O paleoclimate proxy based on compound-specific isotope analyses of hemicellulose-derived sugar biomarkers. **Habilitation treatise** at the University of Bayreuth.
- Zech, M., Kreutzer, S., Goslar, T., Meszner, S., Krause, T., Faust, D. and Fuchs, M., 2012: Technical Note: *n*-Alkane lipid biomarkers in loess: post-sedimentary or syn-sedimentary? Biogeosciences Discussions 9, 9875-9896.
- Buggle, B. und Zech, M., 2011. Mit Biomarkern den Wäldern der Vergangenheit auf der Spur – Pflanzenbürtige Lipide als molekulare Fossilien: neue Einblicke in die Vegetationsgeschichte Mitteleuropas. In: Spektrum-Magazin der Universität Bayreuth, Universität Bayreuth, Schmälzle, F. (Hrsg.), 7. Jahrgang, Ausgabe 1, Seite 10-13.
- Zech, M., Buggle, B., Markovic, S., Lucic, T., Stevens, T., Gaudenyi, T., Jovanovic, M., Huwe, B., Zöller, L., 2008. First Alkane Biomarker Results for the Reconstruction of the Vegetation History of the Carpathian Basin (SE Europe). In: J. Reitner et al. (Editors.), Veränderter Lebensraum – Gestern, Heute und Morgen. DEUQUA Symposium 2008. Abhandlungen der Geologischen Bundesanstalt 62, Wien, pp. 123-127.
- Zech, M., 2007. The Use of Biomarker and Stable Isotope Analyses in Palaeopedology/Reconstruction of Middle and Late Quaternary Environmental and Climate History, with examples from Mt. Kilimanjaro, NE Siberia and NE Argentina. **Dissertation** at the University of Bayreuth. <http://opus.ub.uni-bayreuth.de/volltexte/2007/289/>
- Zech, M. und Schrupf, 2005. Geochemische Kennzeichnung von Paläoböden an den SW-Hängen des Kilimandscharo, Tansania. In: Eidam, U., Schröder, H., Winter, S. (Hrsg.). Berliner Geographische Arbeiten, Heft 100, Seite 93-97.