



Fakultät Physik

Datum: 07.01.2020

Joint IFMP/SFB/IFW Seminar

When:	31 January 2020, 14:00 h
Where:	IFW / D2E.27
Speaker:	Prof. Shintaro Ishiwata Osaka University, Japan

Title:Topological and helical spin structures in centrosymmetric
perovskite-type oxides

Abstract:

Topological spin texture consisting of a multiple-**q** spin spiral is of great interest for novel quantum transport phenomena and spintronic functions. A recent interesting example is a magnetic skyrmion, which is a topologically stable spin texture discovered in noncentrosymmetric systems with Dzyaloshinskii-Moriya (DM) interaction [1]. A cubic perovskite $SrFeO_3$ is a promising candidate of the centrosymmetric compound hosting a novel type of topological spin texture in the absence of the DM interaction. While the magnetic ground state has been believed to be a simple proper-screw-type spin order for long time, we have found that the magnetic phase diagram of $SrFeO_3$ hosts a rich variety of helimagnetic phases, two of which show novel topological helimagnetic orders [2].

In this seminar, after the brief review of our recent works, I will show the topologically nontrivial helimagnetic phases in the simple cubic perovskite $SrFeO_3$, which were discovered by small angle neutron scattering (SANS) measurements. We found that $SrFeO_3$ shows two kinds of multiple-q helimagnetic structures: an anisotropic double-q spin spiral and an isotropic quadruple-q spiral hosting a three-dimensional lattice of topological singularities [3]. As a related topic, our recent discoveries of novel helimagnetic phases in the perovskites $Sr_{1-x}Ba_xCoO_3$ [4] and $Sr_{1-x}Ca_xCoO_3$ [5] will be also presented. By magnetization measurements, the magnetic phase diagrams of $Sr_{1-x}Ba_xCoO_3$ and $Sr_{1-x}Ca_xCoO_3$ were established. As for $Sr_{1-x}Ba_xCoO_3$, the ferromagnetic order tends to be suppressed by the Ba substitution and eventually replaced by a helimagnetic state. Based on the first-principles calculations, the results will be discussed in terms of the competing magnetic order in the Co-O lattice. These results indicate that centrosymmetric perovskite-type transition-metal oxides obtained at high pressures are fruitful show cases for nontrivial helimagnetic phases.

- [1] S. Mühlbauer et al., Science 323, 915 (2009).
- [2] S. Ishiwata et al., Phys. Rev. B 84, 054427 (2011).
- [3] S. Ishiwata et al., arXiv:1806.02309.
- [4] H. Sakai, S.I. et al., Phys. Rev. Mater. 2, 104412 (2018).
- [5] T. Osaka, S.I. et al., Phys. Rev. B 95, 224440 (2017).

Invited by Prof. Dmytro Inosov